UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/684,312	10/10/2003	Donna Gail Schneider	DGS001	3321
DONNA G SCI	7590 06/19/200 HNEIDER	EXAMINER		
5880 DERBY F	ROCK LOOP	GRAVINI, STEPHEN MICHAEL		
MANITOU SPRINGS, CO 80829			ART UNIT	PAPER NUMBER
			3743	
			MAIL DATE	DELIVERY MODE
			06/19/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Applic	Application No. Applicant(s)			
		10/684	,312	SCHNEIDER, DONNA GAIL		
		Examiı	ner	Art Unit		
		Stephe	n M. Gravini	3743		
 Period for	The MAILING DATE of this commun	ication appears on	the cover sheet with	the correspondence a	ddress	
A SHC WHICH - Extens after S - If NO - Failure Any re	PRIENED STATUTORY PERIOD F HEVER IS LONGER, FROM THE M sions of time may be available under the provisions IX (6) MONTHS from the mailing date of this comre period for reply is specified above, the maximum st to reply within the set or extended period for reply ply received by the Office later than three months a d patent term adjustment. See 37 CFR 1.704(b).	AILING DATE OF of 37 CFR 1.136(a). In no nunication. atutory period will apply an will, by statute, cause the	THIS COMMUNICA event, however, may a reply d will expire SIX (6) MONTH: application to become ABAN	TION. y be timely filed S from the mailing date of this of DONED (35 U.S.C. § 133).		
Status						
2a)⊠ 3 3)□ 3	Responsive to communication(s) file This action is FINAL . Since this application is in condition closed in accordance with the practi	2b)⊡ This action is for allowance exce	s non-final. ept for formal matters	-	e merits is	
Dispositio	on of Claims					
5)□ (6)⊠ (7)□ (Claim(s) 17-27 is/are pending in the a) Of the above claim(s) is/a Claim(s) is/are allowed. Claim(s) 17-27 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restricted.	re withdrawn from				
10)⊠ T	The specification is objected to by the Grawing(s) filed on 10 October 2 Applicant may not request that any objected to the catherist of the cath or declaration is objected to	003 is/are: a)⊠ a ction to the drawing(s the correction is req	s) be held in abeyance uired if the drawing(s)	. See 37 CFR 1.85(a). is objected to. See 37 C	FR 1.121(d).	
Priority u	nder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notice 3) Inform	s) of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (Fation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date	PTO-948)	Paper No(s)/N	nmary (PTO-413) /lail Date rmal Patent Application		

DETAILED ACTION

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 112

Claim 17 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claims contain subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor, at the time the application was filed, had possession of the claimed invention. The recitation of a side designation having "user selectable variable construction" is not enabled by the specification to those skilled in the art. That recitation has no basis in the specification as to how a user would select a variable construction. Specification paragraph 25 discusses variable configuration side panels, but not a user selectable feature. Paragraphs 31 and 37 specify that a side may be selectively enclosed, left open, or variable but nothing enabling one skilled in the art a user selection. Finally specification paragraph discusses different ways to form a grill, but not the claimed user selectable variable construction. Nothing in the originally filed application would reasonably convey that the invention had possession of this claimed feature.

Claim 17 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claimed "user selectable variable configuration" is indefinite because it is not clear how a user would select a variable construction.

Application/Control Number: 10/684,312 Page 3

Art Unit: 3743

Claim Rejections - 35 USC § 102

Claims 17-27 are rejected under 35 U.S.C. 102(b) as being anticipated by Christen (US 3,856,374). The new subject matter indefinite recited "user selectable variable construction" feature is treated under the assumption that it was reasonable that the inventor had possession of the claimed invention and that one skilled in the art would be able to make or use the invention. The claims are reasonably and broadly construed, in light of the accompanying specification, to be disclosed by Christen as comprising:

a collapsible frame 10 for suspending an item above a heat source (this statement of intended use gives patentable weight is as much as one skilled in the at would be able to suspend and item from the disclosed invention above a heat source since figures and summary of invention teach this feature), the frame comprising a plurality of sides 28, 30A, 30B, at least one of the sides 28 being designated as having user-selectable variable construction 36 (please see column 3 lines 1-7 in which the skirt panels 36 give main panel 28 its user selectable variable construction feature) and the sides 30A, 30B other than the designated side 28 collectively constituting the remainder of the frame;

wherein the side having user-selectable variable construction is constructed of at least one panel selected by a user from among a plurality of available panels and wherein the panel is designed to be removably attached to the remainder of the frame as shown in figures 1 and 4 and disclosed at column 3. Christen also discloses the claimed feature wherein the device **10** operates in at least one user-selectable in-use

Art Unit: 3743

configuration (figure 1) wherein the side having user-selectable variable construction is constructed with fewer than all of the available panels 36 that are able to be used on a single side concurrently and any unused panels are entirely excluded from the construction of the side having user-selectable variable construction (the unused excluded panels is construed to be anticipated by the disclosed top side panel 30 or 40 because a top panel would have to be excluded such that a user would have access to a grill top), wherein the panel selected by the user supports a transverse member 18 for suspending an item above the heat source within the frame wherein the panel selected by the user is attached along at least two different edges of the panel when installed in the designated side (flanges 34 anticipate the claimed attached installation because that reference character acts as a flange when used in conjunction with panel 16 and panel 30), wherein the panel attaches to at least two different components 14A, 14B of the remainder of the frame, wherein a position at which the panel selected by the user is attached to the remainder of the frame is selectable by the user from among more than one possible such position of attachment (this statement of intended use is anticipated by the skirt panels 36 because that teaching meets the more than one possible position of attachment to the main panel 38), wherein the position of attachment of the panel changes at least one of: a proportion of the side that is substantially enclosed, which portion of the side is substantially enclosed by the panel, or a height at which a transverse member, supported by at least one panel, is supported within the frame as best shown in figure1, wherein the side having user-selectable variable construction is constructed of a first quantity of panels 30A, 30B to establish a first value of a variable

Application/Control Number: 10/684,312

Art Unit: 3743

attribute and alternatively constructed of a second quantity of panels 36 to establish a second value of the variable attribute, the variable attribute being at least one of: a proportion of the side that is substantially enclosed or a height at which a transverse member supported by one of the panels, is supported within the frame 50, wherein the available panels exhibit different heights when applied to the flame and wherein the designated side is selectively constructed by a user to include a panel of specific height by which the user adjusts at least one of: how much of the side of user-selectable variable construction is substantially enclosed or at what height a transverse member is supported within the frame as best seen from figure 1, wherein the side having userselectable variable construction is constructed to comprise a first panel and a second panel, the first and second panels having different heights, wherein, in attaching the first and second panels to the remainder of the frame, the first panel is placed above the second panel to support the transverse member at first height and the first panel is placed below the second panel to support the transverse member at a second height different from the first height as disclosed in column 3 lined 30-49, wherein the side having user-selectable variable construction comprises first 30A and second panels 30B, both concurrently attached to the remainder of the frame 50, and a transverse member is user selectable to either be directly supported by the first panel in accordance with a first user-selectable configuration or to be directly supported by the second panel in accordance with a second user-selectable configuration.

Page 5

Application/Control Number: 10/684,312 Page 6

Art Unit: 3743

Response to Arguments

Applicant's arguments filed April 21, 2009 have been fully considered but they are not persuasive.

Christen anticipation

Application/Control Number: 10/684,312

Page 7

Art Unit: 3743

Examiner has corrected any minor typographical errors that may have confused applicant with respect to the prior art reference Christen anticipating the claimed invention. As claimed, Christen discloses the claimed invention, as rejected above.

enablement/indefinite rejection

With respect to the "user selectable" feature, applicant argues that this should be implicit from the originally filed application. The originally filed application discusses "adaptability for use" at specification paragraph [0006], "many possible embodiments, the frame may be assembled in free space. In other words, many embodiments are possible wherein one may assemble the frame as it is held in one's hands" [0016], "sides of the assembled frame 100 may be similarly construed" [0025], "user desires to rearrange fuel" [0029], and "possible relationships among the dimensions of various components to optimize both the assembled and stowed configurations of the unit' [0050]. Nothing in the drawings support this "user selectable" claim feature. Each of these specification features support claimed different embodiments or configurations, but none are selectable by a user, as now claimed. It would be a stretch to import the claimed "user selectable" feature from the originally filed into the claims, since the specification and drawings, as originally filed do not support this claimed feature.

Applicant looks to Slattery to argue patentability, but that reference is not used in rejecting the claims. Furthermore, the feature of "user selectability" is patentably distinct from the argued "configuration being selected by a user of the device" because in the former step a user must actively select while the latter, the configuration merely

Art Unit: 3743

supports being capable of or adapted to a user selection. This is a big difference as far as determining patentability.

Examiner has construed each of applicant's cited specification support for user selectable feature, but finds no support as originally filed. In fact no where in the originally filed application is found the now claimed "user selectable variable construction" feature, because no where in the specification are the recitations "user" and "selectable" linked.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art cited with this action, but not relied upon in rejecting the claims, teach one or more elements of the claimed invention such that one or more reference may be used to anticipate or obviate the claimed invention.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 10/684,312 Page 9

Art Unit: 3743

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen M. Gravini whose telephone number is 571 272 4875. The examiner can normally be reached on normal weekday business hours (east coast time).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth B. Rinehart can be reached on 571 272 4881. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Stephen M. Gravini/ Primary Examiner, Art Unit 3743